

**AN ORDINANCE TO AUTHORIZE AND APPROVE CONTRACT 22009PD
BETWEEN THE CITY OF WILMINGTON AND GRAVES UNIFORMS, LLC
FOR POLICE CLOTHING**

#0060

Sponsor: **WHEREAS**, pursuant to Section 2-308 and Section 8-200 of the City Charter, the City of Wilmington is authorized to enter into contracts for the supply of personal property or the rendering of services for a period of more than one year if approved by City Council by ordinance; and

Council Member Walsh

WHEREAS, the City publicly advertised the specifications for Contract 22009PD “Police Clothing” (the “Contract”) in accordance with the requirements of Section 8-200 of the City Charter, and subsequently awarded the Contract, a copy of which, in substantial form, is attached hereto and incorporated by reference herein as Exhibit “A”, to Graves Uniforms, LLC (the “Contractor”), the lowest responsible bidder; and

WHEREAS, the term of the Contract is for the period from July 1, 2021 through June 30, 2022, at an estimated price of Ninety-Nine Thousand, Thirty-Eight Dollars and Fifty Cents (\$99,038.50), with the possibility of two (2) extensions of one (1) year thereafter with the same terms and conditions, at the option of the City, subject to budget appropriations; and

WHEREAS, the primary purpose of the Contract is to provide uniforms for the Police Department; and

WHEREAS, it is the recommendation of the Police Department that the City enter into the Contract with the Contractor for the period from July 1, 2021 through June 30, 2022, and reserve the right to extend the Contract for two (2) additional periods of one (1) year thereafter, at the option of the City.

**NOW, THEREFORE, THE COUNCIL OF THE CITY OF WILMINGTON
HEREBY ORDAINS:**

SECTION 1. Contract 22009PD “Police Clothing” between the City of Wilmington and Graves Uniforms, LLC, a copy of which Contract, in substantial form, is attached hereto as Exhibit “A,” for the period from July 1, 2021 through June 30, 2022, at an estimated price of Ninety-Nine Thousand, Thirty-Eight Dollars and Fifty Cents (\$99,038.50), with the possibility of two (2) extensions of one (1) year thereafter with the same terms and conditions, at the option of the City, is hereby approved, and the Mayor and the City Clerk are hereby authorized to execute as many copies of the Contract, as well as to take all additional undertakings related thereto, as may be necessary.

SECTION 2. This Ordinance shall become effective upon its passage by City Council and approval by the Mayor.

First Reading..... May 6, 2021
Second Reading..... May 6, 2021
Third Reading.....

Passed by City Council,

President of City Council

ATTEST: _____
City Clerk

Approved this ____ day of _____, 2021.

Mayor

SYNOPSIS: This Ordinance authorizes the execution of Contract 22009PD “Police Clothing” between the City of Wilmington and Graves Uniforms, LLC for the period from July 1, 2021 through June 30, 2022, at an estimated price of Ninety-Nine Thousand, Thirty-Eight Dollars and Fifty Cents (\$99,038.50), with the possibility of two (2) extensions of one (1) year thereafter with the same terms and conditions, at the option of the City.

FISCAL IMPACT STATEMENT: The fiscal impact of this Ordinance is a contract for the period from July 1, 2021 through June 30, 2022, at an estimated price of Ninety-Nine Thousand, Thirty-Eight Dollars and Fifty Cents (\$99,038.50), with the possibility of two (2) additional extensions of one (1) year thereafter at the same estimated annual price for each extension, at the option of the City.

W0113841

EXHIBIT A

Ad Number: 0004600286

Run Dates: 02/16/21

The City of Wilmington will receive sealed bids
at the Division of Procurement & Records, 5th Fl., Louis L. Redding Bldg.,
800 French St., Wilm., DE 19801 for:

22009PD – POLICE CLOTHING

Bids Due: Thursday, March 4, 2021, at 3:00 p.m., to the Procurement Division 5th Floor, Louis L. Redding City/County Building, 800 French Street, Wilmington, DE 19801. Bids can also be left in the drop box marked "PROCUREMENT" located on the first floor in front of the guard station.

Bid opening: Zoom Meeting, Time: Mar 4, 2021 03:00 PM Eastern Time (US and Canada) <https://zoom.us/j/91007803443?pwd=ZXI6djA1eHIUVnFSVnVxdHcrd2xHQT09>
Meeting ID: 910 0780 3443 Passcode: P8qkaC

Specifications may be obtained by email to
procurement@wilmingtonde.gov

Philip Ceresini
Purchasing Agent II
Division of Procurement and Records
Department of Finance
pceresini@wilmingtonde.gov
www.wilmingtonde.gov

2/16-NJ

0004600286-01

SD CITY WILM PURCHASING DIV
800 N FRENCH ST FL 5

WILMINGTON, DE 19801

DE,

AFFIDAVIT OF PUBLICATION


State of Delaware
New Castle County

Personally appeared **The News Journal**

Of the **The News Journal Media Group**, a newspaper printed, published and circulated in the State of Delaware, who being duly sworn, depose and saith that the advertisement of which the annexed is a true copy, has been published in the said newspaper 1 times, once in each issue as follows:

02/16/21 A.D 2021


Sworn and subscribed before me, this 16 day of
February, 2021



Ad Number: 0004600286

Legal notification printed at larger size for affidavit.





Classified Ad Receipt
(For Info Only - NOT A BILL)

Customer: SD CITY WILM PURCHASING DIV

Address: 800 N FRENCH ST FL 5
WILMINGTON DE 19801
USA

Ad No.: 0004600286

Pymt Method Invoice

Net Amt: \$144.18

Run Times: 1

No. of Affidavits: 1

Run Dates: 02/16/21

Text of Ad:

The City of Wilmington will receive sealed bids
at the Division of Procurement & Records, 5th Fl., Louis L. Redding Bldg.,
800 French St., Wilm., DE 19801 for:

22009PD – POLICE CLOTHING

Bids Due: Thursday, March 4, 2021, at 3:00 p.m., to the Procurement Division 5th Floor, Louis L. Redding City/County Building, 800 French Street, Wilmington, DE 19801. Bids can also be left in the drop box marked "PROCUREMENT" located on the first floor in front of the guard station.

Bid opening: Zoom Meeting, Time: Mar 4, 2021 03:00 PM Eastern Time (US and Canada) <https://zoom.us/j/91007803443?pwd=ZXI6djA1eHIUVnF5VnVxdHcrd2xHQ09>

*Meeting ID: 910 0780 3443 Passcode: P8qkaC

Specifications may be obtained by email to
procurement@wilmingtonde.gov

Philip Ceresini
Purchasing Agent II
Division of Procurement and Records
Department of Finance
pceresini@wilmingtonde.gov
www.wilmingtonde.gov

2/16-NJ

0004600286-01

INSTRUCTIONS TO BIDDERS

1. Bids on **City Contract 22009PW – POLICE CLOTHING** are due to the Department of Finance, Division of Procurement and Records, 5th Floor, Louis L. Redding City/County Building, 800 French Street, Wilmington, Delaware by **3:00 PM on March 4, 2021**. **Bids can also be left in the drop box marked “PROCUREMENT” located on the first floor in front of the guard station.**

The building is still closed to the public so the bid opening will be visible as a Zoom Meeting.

Link <https://zoom.us/j/91007803443?pwd=ZXl6djA1eHIUVnFSVnVxdHcrd2xHQT09>

Meeting ID: 910 0780 3443 Passcode: P8qkaC

2. Proposals must be in triplicate, sealed in an envelope, and the envelope endorsed "**Bid for City Contract 22009PW – POLICE CLOTHING**" and addressed to the Department of Finance, Division of Procurement and Records, 5th Floor, Louis L. Redding City/County Building, 800 French Street, Wilmington, Delaware.

3. Any bid may be withdrawn prior to the schedule time for opening of bids or authorized postponement thereof. No bid may be withdrawn within thirty (30) calendar days after the actual opening thereof.

4. The successful bidder will be required to have or obtain an appropriate business license from the Department of Finance, Revenue Division, City of Wilmington, in order to be awarded the contract. Before obtaining a City of Wilmington Business License, all applicants must show proof of a current State of Delaware Business License.

5. The corporation, the successful bidder shall furnish a certificate from the State where it is incorporated, stating that it is a subsisting corporation. The corporation shall also furnish one (1) original and two (2) copies of the excerpts of the corporate minutes, which grant authority to those who sign and attest the contract. The Corporate Seal shall be affixed where signatures are attested.

6. The successful bidder will be required to withhold City of Wilmington Wage Tax from their employees and withheld taxes paid to the City of Wilmington pursuant to the provisions of the Wilmington Wage Tax Law. This law applies to people living and/or working in the City of Wilmington.

7. The U.S. Department of Commerce monitors Procurement transaction made to minority business enterprises by the City of Wilmington. The Minority Business Developments Agency's District Office reserves the right to contact the successful minority bidder and/or subcontractor to confirm any participation in the Procurement process.

8. The successful bidder certifies that they are not listed on the Federal Government, Excluded Parties List System (www.sam.gov). This will be verified by the City of Wilmington and if listed may be grounds for rejection of the bid or proposal.

9. Any person doing business or seeking to do business with the City shall abide by the following Global Sullivan Principles:

- A. Support universal human rights and particularly, those of employees, the communities within which you operate, and parties with whom you do business.
- B. Promote equal opportunity for employees at all levels of the company with respect to issues such as color, race, gender, age, ethnicity, or religious beliefs, and operate without unacceptable worker treatment such as the exploitation of children, physical punishment, female abuse, involuntary servitude, or other forms of abuse.
- C. Respect employee's voluntary freedom of association.
- D. Compensate employees to enable them to meet at least their basic needs and provide the opportunity to improve their skill and capability in order to raise their social and economic opportunities.

- E. Provide a safe and healthy workplace; protect human health and the environment; and promote sustainable development.
- F. Promote fair competition including respect for intellectual and other property rights, and not offer, pay, or accept bribes.
- G. Work with governments and communities in which you do business to improve the quality of life in those communities -- their educational, cultural, economic, and social well-being -- and seek to provide training and opportunities for workers from disadvantaged backgrounds.
- H. Promote the application of these principles by those with whom you do business.

10. **Award and Execution of Contract**

- A. **Consideration of Proposals.** After the proposals are opened and read, they will be compared on the basis of the summation of the products of the approximate quantities shown in the bid schedule by the unit bid prices, unless the proposals states a different basis for comparing bids. In the event of a discrepancy between unit bid prices and extensions, the unit bid price shall govern.

Before awarding the contract, a bidder may be required to show that he/she has the ability, experience, necessary equipment, experienced personnel, and financial resources to successfully carry out the work required by the contract.

The right is reserved to reject any and/or all proposals, to waive technicalities, to advertise for new proposals, or to proceed to do the work otherwise, if in the judgment of the department the best interest of the City will be promoted thereby.

- B. **Award of Contract.** The award of the contract, if it be awarded, must be within thirty (30) calendar days after the opening of proposals to the lowest responsible and qualified bidder whose proposal complies with all the requirements prescribed. The successful bidder will be notified by letter mailed to the address shown on his proposals that his bid has been accepted and has been awarded the contract.
- C. **Cancellation of Award.** The City reserves the right to cancel the award of any contract at any time before the execution of said contract by all parties without any liability against the City.
- D. **Right to Audit.** The City Auditor or his designee shall have the right to audit the contract and any books, documents, or records relating thereto.

Questions should be directed to Phil Ceresini via email at pceresini@wilmingtonde.gov. Questions will not be accepted within 1 week of bid opening.

THIS CONTRACT DOES NOT REQUIRE A BID BOND OR PERFORMANCE BOND.

**WILMINGTON DEPARTMENT OF POLICE
CONTRACT 22009PD**

POLICE CLOTHING CONTRACT

TERMS

The term of this contract shall be in effect from July 1, 2021 or as soon as possible thereafter to June 30, 2022. The Wilmington Department of Police maintains the option to extend this contract for two (2) additional one-year-periods. Terms and conditions of the contract must remain the same. The City will give 60 days' advanced written notice if the contract is to be extended.

SHIPPING

When delivering the goods under this contract, they must be plainly marked, stenciled, and securely tagged indicating contractor's name as well as that of the purchaser. All shipments must be prepaid and insured by the contractor. Any loss or delay caused by failure to comply with these instructions will be at the risk of the contractor.

WORKMANSHIP

Garments shall be made in a first class workmanlike manner. All loose threads are to be removed and the garments shall be cleaned and pressed before delivery.

APPROVED EQUAL

Specifications of products by name are intended to be descriptive of quality or workmanship, finish and performance. Desirable characteristics are not intended to be restrictive. Substitutions of products for those named must be submitted five (5) days prior to bid openings.

SERVICE REQUIREMENTS

Vendor must carry 20% inventory in stock.

IMPORTANT: Clothing must be sized and cut for male and female personnel

All bidders will submit a typed sheet addressing any extra charges for clothing that is to be specially ordered such as extra-long or extra-large sizes, etc. This will be attached to the price sheet.

Questions regarding this contract should be directed to Phil Ceresini at pceresini@wilmingtonde.gov
Questions will not be accepted within 1 week of bid opening.

**OFFICE OF PUBLIC SAFETY
DEPARTMENT OF POLICE
WILMINGTON, DELAWARE**

SPECIFICATIONS

This contract is for the furnishing and delivery of certain items of uniform clothing in accordance with the specifications contained herein.

The quantities that appear on the attached Proposal Form are approximate. The Department of Police, City of Wilmington, or any of its agents, offer no guarantees either written or implied as to the actual number of items, if any, to be purchased.

Following the awarding of this contract, the successful bidder must be able to fit members of the Department of Police and provide delivery of the ordered items, as such, orders are made within a 60-day period. Liquidated damages will be assessed at ten dollars (\$10.00) per day for any delays beyond the 60-day period for the following items of uniform clothing:

Item 1	Shirts - Short Sleeve Men – Dark Navy
Item 1A	Shirts – Short Sleeve Women – Dark Navy
Item 2	Shirts – Long Sleeve Men – Dark Navy
Item 2A	Shirts – Long Sleeve Women – Dark Navy
Item 3	Shirts – Short Sleeve Men – White
Item 3A	Shirts – Short Sleeve Women – White
Item 4	Shirts – Long Sleeve Men – White
Item 4A	Shirts – Long Sleeve Women – White
Item 5	Trousers – Men
Item 5A	Trousers – Women
Item 6	Hats – Winter & Summer
Item 7	V-Neck Sweaters
Item 8	Reversible Hat Covers
Item 9	Reversible Rain Coats (Unisex)
Item 10	Winter Coat Navy
Item 10B	HI Vis Reflective Panel
Item 11	Jacket Liner

Liquidation damages are not to be construed in any sense as a penalty. In the event that the contractor by reason of any circumstance is either unwilling or unable to supply and deliver the uniform items as specified, the Department of Police, City of Wilmington, reserves the right to purchase said items elsewhere and the contractor will be responsible for additional costs incurred in the acquisition of these items.

The Department of Police, upon award of this contract, retains the right to only accept invoices for items purchased in accordance with this contract submitted in the following manner:

- A. The Department will not accept partial billing on incomplete orders.
- B. Notice is given to the contractor that the Department will accept partial shipments. The acceptance of the partial order will not in any way be construed as a waiver of subsection A of this section.

METAL BUTTONS

The Department of Police, Wilmington, Delaware, has purchased button dies which are available to the contractor from Waterbury Company, Inc., Waterbury, CT 06720. Said button dies are available in two sizes: 1) cap and sleeve size; 2) blouse coat (spring and fall) size. The contractor will be required to supply and affix the aforementioned buttons to garments as described below.

Silver Buttons:	All Patrol and Corporal Rank Personnel
Gold-Gilt:	All other Ranks
Shirts:	At the shoulder strips, pocket flaps
Hats:	At the strap
Coats:	At the shoulder straps, pocket flaps and breast (if applicable)

EMBLEMS:

All must match units presently in use to the satisfaction of the Commander of the Support Services Division, Department of Police. Contractor shall apply or affix all shoulder patches, service stripes, and sergeant chevrons and sew on as per Departmental specifications. The Department of Police will supply, on request, samples of all shoulder patches, service stripes, and shoulder chevrons. Vendors are urged to inspect samples at the Wilmington Department of Police, Support Services Division, 300 North Walnut Street, Wilmington DE 19801.

The Department of Police retains the right to accept part or parts of any or all contracts submitted. This option can be exercised at the discretion of the Department of Police, Wilmington, Delaware.

ITEM 1: SHIRTS – SHORT SLEEVE – MEN – DARK NAVY

SPECIFICATIONS – FLYING CROSS #57R8786 OR APPROVED EQUAL

FABRIC: Content: 75% Dacron Polyester / 25% Worsted Wool conforming to the following specifications:

Weight: 9-9.5 oz. / linear yard

Construction: 50 warp x 46 filling yarns per sq. inch

Tensile: Break strength 75 warp – 150 filling (lbs.)

COLOR

LAPD (Navy) Blue.

STYLE

The style shall be known as a convertible collar, short sleeve, coat shirt, with full-length tail and form fitting. The shirt to have two outside breast pockets and scalloped flaps having one button each. Exterior badge holder with metal eyelets. The back to have a double yoke.

COLLAR

Convertible collar shall be one piece and to measure 3 ¼" long at points. The collar shall be made with fused-in Mylar stays. Collar to be topstitched ¼" off the edge. Collar to be interlined with #250 Dacron. Collar to have a banana piece of Poly Twill lining.

FRONT

Each front shall have a facing 3" in width. The left front shall have a top 1 ½" wide with two rows of stitches 7/8" apart. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 7 buttons and buttonholes on the front, spacing between each will be 3 ¾" except the spacing between the neck button and the first button on the front which will be 2 ½". Top center interlined with #250 Dacron. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under with the front sandwiched between then all three are stitched down with 1/16" raised stitch. Safety stitch joining unacceptable.

SHOULDER STRAPS

Style and dimensions as sample. Asymmetrical shape, ¼" topstitched, to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" from sleeve seam. Shoulder strap lined with #250 Dacron. Creased and edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT

Exterior holder to finish 1 1/8" wide x 2 ¼" deep with two metal eyelets 1 ¼" apart with bottom eyelet centered 1 ¼" above left flap.

POCKETS

Two breast pockets with 1 ½" stitched pleats. Pocket to measure 5 5/8" wide, 6" deep. Left breast pocket to have 1 ½" pencil stitch. Each pocket to have Velcro tape ¾" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as sample.

FLAPS

Deep scalloped design to measure 5 7/8" across and 2 ¾" in depth at center point, 2 1/4" at sides. Secured to shirt front approximately ¼" above pocket. Left flap to have invisible pencil opening 1 ½" to correspond precisely with pencil slot of pocket. Topstitch on flaps to be ¼" stitched. Both flaps to be interlined with Dacron #250. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have Velcro tape ¾" long by ½" wide, positioned on outer points of both pocket flaps as sample.

SHORT SLEEVES

Sleeves are to be straight and whole, to have ¾" hem and to finish approximately 9" long from shoulder seams.

BUTTONS

First grade 19 ligne pearlescent plastic to match.

STITCHING

Single needle throughout. All topstitched ¼" off the edge. Sleeve inserting and side lose felling, safety stitched.

THREAD

All sewing threads to be fast color polyester core polyester wrap to match.

INTERLINING

Collars, pocket flaps, shoulder straps, and top center to interlined with 100% Dacron #250.

MILITARY CREASES

5 Silicone sharp military creases on all shirts. One crease on each front to be centered vertically. Spacing for military creases on shirt back to be proportionate to the size of the shirt as follows: sizes 14 thru 15 ½ creases to be 4 ¾" apart; sizes 16 thru 18 inclusive creases to be 5 ¾" apart as measured from the center crease.

CONSTRUCTION

Collars, flaps, and should straps are made by the conventional construction. Top ply, bottom ply, and interlining are first stitched together, then turned right-side out, and finally topstitched.

CONVERTIBILITY

This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons on the button front, pockets and shoulders. There are protective pieces on the inside of the garment on the shoulders, as well as a reinforcing strip inside the right front.

FINISHED LENGTH DIMENSIONS		
SIZE	SIDE SEAMS	BACK LENGTH
13	17 ½	30 ¾
13 ½	17 5/8	31
14	17 ¾	31 ¼
14 ½	17 7/8	31 ½
15	18	31 ¾
15 ½	18 1/8	32
16	18 ¼	32 ¼
16 ½	18 3/8	32 ½
17	18 ½	32 ¾
17 ½	19 5/8	34
18	19 ¾	31 ¼
18 ½	19 7/8	34 ½
19	20	34 ¾
19 ½	20 1/8	35
20	20 ¼	35 1/4
20 ½	20 3/8	35 ½

ITEM 1A: SHIRTS – SHORT SLEEVE – WOMEN – DARK NAVY

SPECIFICATIONS FLYING CROSS #157R8786 OR APPROVED EQUAL

FABRIC: **Content:** 75% Dacron Polyester / 25% Worsted Wool conforming to the following specifications:

Weight: 9-9.5 oz. / linear yard

Construction: 50 warp x 46 filling yarns per sq. inch

Tensile: Break strength 75 warp – 150 filling (lbs.)

COLOR

LAPD (Navy) Blue.

STYLE

The style shall be known as a convertible collar, short sleeve, coat shirt, with full-length tail and form fitting. The shirt to have two outside breast pockets and scalloped flaps having one button each. Shoulder straps. Exterior badge holder with metal eyelets. The back to have a double yoke.

COLLAR

Convertible collar shall be one piece and to measure 2 7/8" long at points. The collar shall be made with fused-in Mylar stays. Collar to be topstitched 1/4" off the edge. Collar to be interlined with #250 Dacron. Collar to have a banana piece of Poly Twill lining.

FRONT

The right front shall have a top center 1 1/2 " wide with two rows of stitches 7/8" apart. Stitching on the top center is not to be visible on the turn back facing. The right front shall have 6 buttonholes spaced 3 1/2" apart and to be set 3/4" from edge. Second buttonhole to be spaced 2 1/2" from top button, balance of buttons spaced 3 1/2" apart. Top center interlined with #250 Dacron. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under with the front sandwiched between then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.

SHOULDER STRAPS

Style and dimensions as sample. Asymmetrical shape top stitched 1/4" off the edge to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1 3/8" and set not more than 1/2" from folded collar. Cross stitched approximately 2" from sleeve seam. Shoulder strap lined with #250 Dacron. Creased and edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT

Exterior holder to finish 1 1/8" wide x 2 1/4" deep with two metal eyelets 7/8: apart with bottom eyelet centered 7/8" above left flap.

POCKETS

Two breast pockets with 1 ¼" stitched pleats. Pockets to measure 5" wide, 5" deep. Each pocket to have Velcro tape ¾" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap pints as sample.

FLAPS

Deep scalloped design to measure 5 ¼" across and 2 ¼" in depth at center point, 1 ¾" at sides. Secured to shirt front approximately ¼" above pocket. Left flap to have invisible pencil opening 1 ¼". Both flaps to be interlined with #25 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have Velcro tape ¾" long by 1/2" wide positioned on outer points of both pocket flaps as sample.

SHORT SLEEVE

Sleeves are to be straight and whole, to have ½" hem and to finish approximately 8 ½" long from shoulder seams.

BUTTONS

First grade 19 ligne pearlescent plastic to match.

STITCHING

Single needle throughout. All topstitched ¼" off the edge. Sleeve inserting and side close felling, safety stitched.

THREAD

All sewing threads to be fast color polyester core polyester wrap to match.

INTERLINING

Collars, pocket flaps, shoulder straps, and top center to be interlined with 100% Dacron #250.

MILITARY CREASES

5 silicone sharp military creases on all shirts. One crease on each front to be centered vertically. Spacing for military creases on shirt back to be proportionate to the size of the shirt.

CONSTRUCTION

Collars, flaps, and shoulder straps are made by the conventional construction. Top ply, bottom ply, and interlining are first stitched together then turned right-side out and finally topstitched.

CONVERTIBILITY

This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons on the button front, pockets and shoulders. There are protective pieces on the inside of the garment on the shoulders, as well as a reinforcing strip inside the left front.

FEMALE FINISHED MEASUREMENTS														
1" CHEST, WAIST & HIP ¾" LONG SLEEVE														
Size	26	28	30	32	34	36	38	40	42	44	46	48	50	52
Chest	32"	34"	36"	38"	40"	42"	44"	46"	48"	50"	52"	54"	56"	58"
Waist	27"	29"	31"	33"	35"	37"	39"	41"	43"	45"	47"	49"	51"	53"
Hips	32"	34"	36"	38"	40"	42"	44"	46"	48"	50"	52"	54"	56"	58"
Back	29"	29"	29"	29"	29"	29"	29"	29"	29"	29"	29"	29"	29"	29"
Short Sleeve	8 ¼"	8 ½"	8 ¾"	9"	9 ¼"	9 ½"	9 ¾"	10"	10 ¼"	10 ½"	10 ¾"	11"	11 ¼"	11 ½"
Sport Collar	11 7/8"	12 3/8"	12 7/8"	13 3/8"	13 7/8"	14 3/8"	14 7/8"	15 3/8"	15 7/8"	16 3/8"	16 7/8"	17 3/8"	17 7/8"	18 3/8"
Dress Collar	11 3/8"	11 7/8"	12 3/8"	12 7/8"	13 3/8"	13 7/8"	14 3/8"	14 7/8"	15 3/8"	15 7/8"	16 3/8"	16 7/8"	17 3/8"	17 7/8"
Yoke	14"	14 3/8"	14 3/4"	15 1/8"	15 1/2"	15 7/8"	16 ¼"	16 5/8"	17"	17 3/8"	17 ¾"	18 1/8"	18 ½"	18 7/8"

LADIES LONG SLEEVE LENGTHS			
Sizes 30, 32, 34	S = 29"	M = 30"	L = 31"
Sizes 36, 38	S = 30"	M = 31"	L = 32"
Size 40		M = 32"	L = 33"
Sizes 42 & up		M = 33"	L = 34"

ITEM 2: SHIRTS – LONG SLEEVE - MEN – DARK NAVY

SPECIFICATIONS – FLYING CROSS #07W8786

FABRIC: **Content:** 75% Dacron Polyester / 25% Worsted Wool conforming to the following specifications:
 Weight: 9-9.5 oz. / linear yard
 Construction: 50 warp x 46 filling yarns per sq. inch
 Tensile: Break strength 75 warp – 150 filling (lbs.)
 Supplier: RaeFord Mills

COLOR

LAPD (Navy) Blue.

STYLE

Plain front coat style, form fitting, collar attached, long sleeves with barrel cuffs. Two pleated breast pockets with scalloped flaps. Shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and collar band of high lustre Poly Twill.

COLLAR & STAND

Style and dimensions as sample on display. Collar points to measure 3 ¼" long with fused-in Mylar stays. Collar height at rear 1 ½". Topstitched ¼" off the edge. Collar stand to measure 1 5/16" at rear and band to be die cut and interlined with "Creased N Tack" in band. Collar interlined with #250 Dacron.

FRONT

The left front shall have a top center 1 ½" wide with two rows of stitches 7/8" apart. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3 ¾" except the spacing between the neck button and the first button on the front, which will be 3 ¼". Top center interlined with #250 Dacron. The Fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.

SHOULDER STRAPS

Style and dimensions as sample. Asymmetrical shape topstitched ¼" off the edge to be set on yoke with leading topstitches conforming with front joining seam. To measure 2" at sleeve tapering to 1 3/8" and set not more than ½" from folded collar. Cross-stitched approximately 2" from sleeve seam. Shoulder strap lined with #250 Dacron. Creased and edge stitched shoulder strap construction unacceptable. Exterior holder to finish 1 1/8" wide x 2 ¼" deep with two black metal eyelets 1 ¼" apart with bottom eyelet centered 1 ¼" above left flap.

BADGE REINFORCEMENT

POCKETS

Two breast pockets with 1 ½" stitched pleats. Pocket to measure 5 5/8" wide x 6" deep. Left breast pocket to have 1 1/2" pencil stitch. Each pocket to have Velcro tape ¾" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as sample.

SLEEVES

Straight t width- no bias - of one piece shaped at head, jacket type. Sleeve vent 5 ½" long with top and bottom facings. Top facing to measure 1 1/8" wide point blocked at top. Under facing ½" wide.

CUFFS

To measure 3" in depth with rounded corners as sample. With two buttons and corresponding buttonholes on each cuff and one button and buttonhole in center of facing. Both cuffs to be interlined with #250 Dacron.

BUTTONS

First grade 19-ligne pearlescent plastic to match.

SEWING

Single needle throughout. All topstitched ¼" off the edge. Sleeve inserting and side close felling safety stitched.

THREAD

All sewing threads to be fast color polyester core polyester wrap to match.

INTERLINING

Collars, pocket flaps, shoulder straps, cuffs and top center to be interlined with 100% Dacron #250. Collar band to be interlined with "Crease N Tack".

MILITARY CREASES

5 silicone sharp military creases on all shirts. One crease on each front to be centered vertically through pockets and flaps. Spacing for military creases on shirt back to be proportionate to the size of the shirt as follows: sizes 14 through 15 ½ creases to be 4 ¾" apart; sizes 16 through 18, inclusive – creases to be 5 ¾" apart as measured from the center.

MEN'S SHIRT SPECIFICATIONS – LONG SLEEVE		
FINISHED LENGTH DIMENSIONS		
SIZE	SIDE SEAMS	BACK LENGTH
13	17 ½	30 ¾
13 ½	17 5/8	31
14	17 ¾	31 ¼
14 ½	17 7/8	31 ½
15	18	31 ¾
15 ½	18 1/8	32
16	18 ¼	32 ¼
16 ½	18 3/8	32 ½
17	18 ½	32 ¾
17 ½	19 5/8	34
18	19 ¾	31 ¼
18 ½	19 7/8	34 ½
19	20	34 ¾
19 ½	20 1/8	35
20	20 ¼	35 1/4
20 ½	20 3/8	35 ½

SLEEVE LENGTHS

Must be stocked in 31 through 38 inches in 1" increments. Grouped sleeve lengths are not acceptable.

CONSTRUCTION

Collars, flaps, and shoulder straps are made by the conventional construction. Top ply, bottom ply, and interlining are first stitched together, then turned right-side out and finally topstitched.

CONVERTIBILITY

This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons on a button front, flaps, cuffs, and shoulders. Each pocket will have one vertical eyelet to accommodate removable metal buttons. There are protective pieces on the inside of the garment on the shoulders and cuffs, as well as a reinforcing strip inside the right front.

ITEM 2: SHIRTS – LONG SLEEVE - WOMEN – DARK NAVY

SPECIFICATIONS – FLYING CROSS #107W8786 OR APPROVED EQUAL

FABRIC: **Content:** 75% Dacron Polyester / 25% Worsted Wool conforming to the following specifications:

Weight: 9-9.5 oz. / linear yard

Construction: 50 warp x 46 filling yarns per sq. inch

Tensile: Break strength 75 warp – 150 filling (lbs.)

COLOR

LAPD (Navy) Blue.

STYLE

The style shall be known as a banded collar, long sleeve, coat shirt, with full-length tail and formfitting. The shirt to have two outside breast pockets and scalloped flaps having on button each. Shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and collar band of high lustre Poly Twill.

COLLAR & STAND

Style and dimensions as sample on display. Collar points to measure 3 ¼" long with fused-in Mylar stays. Collar to be topstitched ¼" off the edge. Collar height at rear 1 ½". Collar stand to measure 1 5/16" at rear and band to be die cut and interlined with #250 Dacron in collar, "Crease N Tack" in band.

FRONT

The right front shall have a top center 1 ½" wide with two rows of stitches 7/8" apart. The right front shall have 6 buttonholes spaced 3 ½" apart and to be set ¾" from edge. Second buttonhole to be spaced 3 ¼" from top button, balance of buttons spaced 3 ½" apart. Top center interlined with #250 Dacron.

The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under with the front sandwiched between then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.

SHOULDER STRAPS

Style and dimensions as sample. Asymmetrical shape topstitched ¼" off the edge to be set on yoke with leading topstitches conforming with front joining seam. To measure 2" at sleeve tapering to 1 3/8" and set not more than ½" from folded collar. Cross-stitched approximately 2" from sleeve seam. Shoulder strap lined with #250 Dacron. Creased and edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT

Exterior holder to finish 1 1/8" wide x 2 ¼" deep with two metal eyelets 7/8" apart with bottom eyelet centered 7/8" above left flap.

POCKETS

Two breast pockets with 1 ¼" stitched pleats. Pockets to measure 5" wide, 5" deep. Each pocket to have Velcro tape ¾" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap pints as sample.

FLAPS

Deep scalloped design to measure 5 ¼" across and 2 ¼" in depth at center point, 1 ¾" at sides. Secured to shirt front approximately ¼" above pocket. Left flap to have invisible pencil opening 1 ¼". Both flaps to be interlined with #25 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have Velcro tape ¾" long by 1/2" wide positioned on outer points of both pocket flaps as sample.

SLEEVE

Sleeves at width-no bias- of one piece shaped at head, jacket type. Sleeve vent approximately 4 ¾" long with top and bottom facings. Top facing to measure 1 1/8" wide point blocked at top. Underfacing ½" wide.

CUFFS

To measure 2 ½" in depth with rounded corners as sample. With two button adjustable cuff. Both cuffs to be interlined with #250 Dacron.

BUTTONS

First grade 19 ligne pearlescent plastic to match.

STITCHING

Single needle throughout. All topstitched ¼" off the edge. Sleeve inserting and side close felling, safety stitched.

THREAD

All sewing threads to be fast color polyester core polyester wrap to match.

INTERLINING

Collars, pocket flaps, shoulder straps, and top center to be interlined with 100% Dacron #250. Collar band to be interlined with "Crease N Tack".

MILITARY CREASES

Silicone sharp military creases on all shirts. One crease on each front to be centered vertically. Spacing for military creases on shirt back to be proportionate to the size of the shirt.

CONSTRUCTION

Collars, flaps, and shoulder straps are made by the conventional construction. Top ply, bottom ply, and interlining are first stitched together then turned right-side out and finally topstitched.

CONVERTIBILITY

This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons on the button front, pockets, cuff, and shoulders. There are protective pieces on the inside of the garment on the shoulders and cuffs, as well as a reinforcing strip inside the left front.

ITEM 3: SHIRTS – SHORT SLEEVE – MEN - WHITE

SPECIFICATIONS – ELBECO #3310N OR APPROVED EQUAL

FABRIC: **Content:** 100% Polyester Tropical Weave
 Weight: 5-5.5 oz. / sq. yard
 Construction: 50 warp x 46 filling yarns per sq. inch

STYLE

Chest pockets with dual access top and side utility compartments with hook and loop closure for easy access, top and side entry pockets for quick storage. Dual comms wire access opening in side seams to keep wires out of the way and invisible shoulder straps and badge reinforcement. All Wilmington Police Department emblems are to be applied to shoulders.

METAL BUTTONS

The Wilmington Department of Police buttons are to affix to all shirts.

Silver Buttons: All Patrol and Corporal Rank Personnel
Gold-Gilt: All other Ranks
Shirts: At the shoulder strips, pocket flaps
Hats: At the strap
Coats: At the shoulder straps, pocket flaps and breast (if applicable)

ITEM 3A: SHIRTS – SHORT SLEEVE – WOMENS - WHITE

SPECIFICATIONS – ELBECO #9810LCN OR APPROVED EQUAL

FABRIC: **Content:** 100% Polyester Tropical Weave
 Weight: 5-5.5 oz. / sq. yard
 Construction: 50 warp x 46 filling yarns per sq. inch

STYLE

Chest pockets with dual access top and side utility compartments with hook and loop closure for easy access, top and side entry pockets for quick storage. Dual comms wire access opening in side seams to keep wires out of the way and invisible shoulder straps and badge reinforcement. All Wilmington Police Department emblems are to be applied to shoulders.

METAL BUTTONS

The Wilmington Department of Police buttons are to affix to all shirts.

Silver Buttons: All Patrol and Corporal Rank Personnel
Gold-Gilt: All other Ranks
Shirts: At the shoulder strips, pocket flaps
Hats: At the strap
Coats: At the shoulder straps, pocket flaps and breast (if applicable)

ITEM 4: SHIRTS – LONG SLEEVE – MEN - WHITE

SPECIFICATIONS – ELBECO #3310N OR APPROVED EQUAL

FABRIC: **Content:** 100% Polyester Tropical Weave
 Weight: 5-5.5 oz. / sq. yard

STYLE

Chest pockets with dual access top and side utility compartments with hook and loop closure for easy access, top and side entry pockets for quick storage. Dual comms wire access opening in side seams to keep wires out of the way and invisible shoulder straps and badge reinforcement. All Wilmington Police Department emblems are to be applied to shoulders.

METAL BUTTONS

The Wilmington Department of Police buttons are to affix to all shirts.

Silver Buttons: All Patrol and Corporal Rank Personnel
Gold-Gilt: All other Ranks
Shirts: At the shoulder strips, pocket flaps
Hats: At the strap
Coats: At the shoulder straps, pocket flaps and breast (if applicable)

ITEM 4A: SHIRTS – LONG SLEEVE – WOMENS - WHITE

SPECIFICATIONS – ELBECO #9310LCN OR APPROVED EQUAL

FABRIC: **Content:** 100% Polyester Tropical Weave
 Weight: 5-5.5 oz. / sq. yard

STYLE

Chest pockets with dual access top and side utility compartments with hook and loop closure for easy access, top and side entry pockets for quick storage. Dual comms wire access opening in side seams to keep wires out of the way and invisible shoulder straps and badge reinforcement. All Wilmington Police Department emblems are to be applied to shoulders.

METAL BUTTONS

The Wilmington Department of Police buttons are to affix to all shirts.

Silver Buttons: All Patrol and Corporal Rank Personnel
Gold-Gilt: All other Ranks
Shirts: At the shoulder strips, pocket flaps
Hats: At the strap
Coats: At the shoulder straps, pocket flaps and breast (if applicable)

ITEM 5: TROUSERS – MEN

SPECIFICATIONS – FECHHEIMER BROTHER #432090 OR APPROVED EQUAL

FABRIC

Raeford Style #32030-30 Weave: Serge – 15-18% Stretch. Weight: 12.5-13.0 oz. per linear yard. Fiber content: 74% Dacron Polyester 25% Wool Worsted 1% Lycra. Breaking Strength: 190 pounds in Warp 150 pounds in filling. Construction: 84 ends per inch 63 picks per inch. Fiber Length: Wool: 3-3.5 inches average minimum Poly: 3 inches minimum. Dye Procedure: Piece Dyed.

COLOR

LAPD (Navy) Blue.

DESIGN

Trouser shall be manufactured from a men's uniform trouser pattern. The trouser styling shall incorporate a plain front, two-quarter top front pockets, two hip pockets and watch pocket. Trouser is straight leg style.

POCKETING

The pocketing shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 64 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

POCKET DESIGN

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5 ¼" measured from the bottom of the opening. Front pockets to have straight bar tacks (use of triangle bar tacks will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Pocket facings to be made of the basic fabric and must measure a minimum of 3" in width at the top.

The two hip pockets shall have a minimum opening of 5 ½" and a minimum depth of 5 ¾" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW Machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pocket welts shall be cause for rejection). The corners of the hip pocket openings shall have firm straight bar tacks for reinforcement (triangle bar tacks are unacceptable.) Hip pocket facings to be made of basic fabric and have a minimum depth of ¾". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bar tacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening and depth of 2 ¾". The front of the pocket shall be made of pocketing fabric, the back of the pocket shall be made of basic fabric, and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bar tacks.

WAISTBAND

The trouser will be made with the Freedom Fit® waistband system, which is designed to provide the wearer with a more comfortable and better fitting trouser. The waistband shall be constructed using the "closed method" and shall measure 2" wide when finished. The waistband closure shall be accomplished with a crush proof hood and eye. The hook and eye shall be reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must be topstitched 1/16" below the waistband seam for added strength. The top portion of the inside of the waistband is to consist of the same fabric as used for pocketing (70% polyester 30% cotton – 80 x 62 (+/-) 2 count). The fabric is to cut on the bias for maximum comfort. To be 1 3/4" wide and to finish 1 1/8" wide after construction.

Upper waistband curtain to be inner lined with stretch Ban-Rol canvas. This canvas fabric consists of a warp of 47 ends of texturized nylon and a fill of 34 ends of 750 denier polyester monofilament. The woven fabric is coated with latex, which completely encapsulates all yarns. This finish canvas fabric weighs 12.0 oz. / yd 2. The canvas will be cut 1 3/8" wide with the monofilaments running vertically and have a 10% stretch.

The bottom portion of the waistband curtain will be a blend of 32% nylon, 38% polyester, 18% rubber (3 strands) 11% Lycra and 1% acrylic woven 1 7/8" wide and to finish a minimum of 1 5/8" wide. To have a minimum of 40% stretch characteristics.

Note: In a performance stretch waistband, the upper and lower portion of the band will perform different functions.

The upper portion should allow a comfort fit at the waist when bending or sitting, and must maintain a crisp, clean appearance at the outer waistband. This part of the band will stretch 10% and be firm enough to prevent waistband rollover.

The bottom portion of the waistband stretches over the hip to give support to the lower back and abdomen. In addition, this high stretch portion of the band should constantly be pressed up by the hips, preventing the slack from slipping down while being worn, even if heavy keys, change, or other items are carried in the pockets or on the belt.

The three (3) rubberized strands ensure that shirts stay tucked in for neat appearance.

FLY

Trouser shall have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. There shall be a firm straight bar tack at the bottom of the fly going through the zipper tape.

BELT LOOPS

There shall be a minimum of seven (7) belt loops $\frac{3}{4}$ " in width of double thickness. Each loop must have a non-woven interlining. All loops (except for the back center loop) must be sewn into the bottom of the waistband ("dropped" belt loops are cause for rejection) and the top of the belt loops shall be caught into the waistband curtain seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

CROTCH LINING

A crotch liner shall be basted into the seam allowance at the crotch on each leg and sewn in during final assembly.

SEAT

Seat outlet to measure a minimum of 2 $\frac{3}{4}$ " to allow for alterations. Seat must be sewn with a Tandem Needle Machine.

LINTRACK CREASES

Trouser legs shall incorporate front and back Lintrack silicone creases (applied to the trouser crease for the permanent life of the garment).

STITCHING, PRESSING & FINISHING

Trouser must be stitched with matching thread and all stitching to show must be 10-11 stitches per inch. Trouser must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams must be pressed open. Trouser must be cleaned and finished to eliminate loose threads.

LABELS

Trouser must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number, and WPL number must be on the outside of the waistband.

STOCK SIZES

Trouser must be available from stock in the following sizes:

Regular Rise:	28-50 (EVEN SIZES ONLY ABOVE 38)
Short Rise:	28-40 (EVEN SIZES ONLY)

ITEM 5A: TROUSERS –WO MEN

SPECIFICATIONS –FECHHEIMER BROTHER #43250 OR APPROVED EQUAL

FABRIC

Style #32030 Weave: Serge – 15-18% Stretch. Weight: 12.5-13.0 oz. per linear yard. Fiber content: 74% Dacron Polyester 25% Wool Worsted 1% Lycra. Breaking Strength: 190 pounds in Warp 150 pounds in filling. Construction: 84 ends per inch 63 picks per inch. Fiber Length: Wool: 3-3.5 inches average minimum Poly: 3 inches minimum. Dye Procedure: Piece Dyed.

COLOR

LAPD (Navy) Blue.

DESIGN

Slack shall be manufactured from a women's uniform trouser pattern with a plain front and one dart on each rear panel above the hip pockets. Slack shall be straight leg design. The slack shall incorporate two-quarter top front pockets and two hip pockets.

POCKETING

The pocketing shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 64 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

POCKET DESIGN

The two (2) front pockets will be quarter top style with an opening of 5 ½" and a depth of 5 ¼" measured from the bottom of the opening. Front pockets to have straight bar tacks (use of triangle bar tacks will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Pocket facings shall be made of the basic fabric and shall measure a min. of 2" in width.

The two hip pockets shall have a minimum of a 5" wide opening and a 6" depth measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW Machine and the welts shall be finished in such a manner that there is no topstitching (topstitched hip pocket shall be cause for rejection). The corners of the hip pocket openings shall have firm straight bar tacks for reinforcement (triangle bar tacks are unacceptable.) The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bar tacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening and depth of 2 ¾". The front of the pocket shall be made of pocketing fabric, the back of the pocket shall be made of basic fabric, and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bar tacks.

WAISTBAND

The waistband shall be constructed using the "closed method" and shall measure 2" wide when finished. The waistband closure shall be accomplished with a crush proof hook and eye. The hook and eye shall be reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must be topstitched 1/16" below the waistband seam for added strength. The top portion of the inside of the waistband is to consist of the same fabric as used for pocketing (70% polyester 30% cotton – 80 x 62 (+/-) 2 count). The fabric is to cut on the bias for maximum comfort. To be 1 3/4" wide and to finish 1 1/8" wide after construction.

Upper waistband curtain to be inner lined with stretch Ban-Rol canvas. This canvas fabric consists of a warp of 47 ends of texturized nylon and a fill of 34 ends of 750 denier polyester monofilament. The woven fabric is coated with latex, which completely encapsulates all yarns. This finish canvas fabric weighs 12.0 oz. / yd 2. The canvas will be cut 1 1/2" wide with the monofilaments running vertically and have a 10% stretch.

The bottom portion of the waistband curtain will be a blend of 32% nylon, 38% polyester, 18% rubber (3 strands) 11% Lycra and 1% acrylic woven 1 7/8" wide and to finish a minimum of 1 3/8" wide. To have a minimum of 40% stretch characteristics.

Note: In a performance stretch waistband, the upper and lower portion of the band will perform different functions.

The upper portion should allow a comfort fit at the waist when bending or sitting, and must maintain a crisp, clean appearance at the outer waistband. This part of the band will stretch 10% and be firm enough to prevent waistband rollover.

The bottom portion of the waistband stretches over the hip to give support to the lower back and abdomen. In addition, this high stretch portion of the band should constantly be pressed up by the hips, preventing the slack from slipping down while being worn, even if heavy keys, change, or other items are carried in the pockets or on the belt.

The three (3) rubberized strands ensure that shirts stay tucked in for neat appearance.

FLY

Trouser shall have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. There shall be a firm straight bar tack at the bottom of the fly going through the zipper tape.

BELT LOOPS

There shall be a minimum of seven (7) belt loops ¾" in width of double thickness. Each loop must have a non-woven interlining. All loops (except for the back center loop) must be sewn into the bottom of the waistband ("dropped" belt loops are cause for rejection) and the top of the belt loops shall be caught into the waistband curtain seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

LINTRACK CREASES

Trouser legs shall incorporate front and back lintrack silicone creases (applied to the trouser crease for the permanent life of the garment).

SEAT

Seat outlet to measure a minimum of 2 ¾" to allow for alterations. Seat must be sewn with a Tandem Needle Machine.

PRESSING & FINISHING

Slacks must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams must be pressed open. Slack must be cleaned and finished to eliminate loose threads.

LABELS

Slacks must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number, and WPL number must be on the outside of the waistband. Each size ticket must state both the size designation and the actual waist measurement and hip measurement.

STOCK SIZES

Women's slacks must be sized as illustrated and stocked in the following chart:

Sizes	6	8	10	12	14	16	18	20	22	24
Waist	26"	27"	28"	30"	32"	34"	36"	38"	40"	42"
Hip	37"	38"	39"	41"	43"	45"	47"	49"	51"	53"

ITEM 6: HATS

SPECIFICATIONS: MATERIAL TO MATCH TROUSER/SLACK MATERIAL

WINTER HAT

Patrol Rank Personnel

8_point style crown with 2" wide band of like material. Two ventilating eyelets spaced 1 ½" apart on left and right sides. Front metal eyelet located 1 5/8" down from peak of crown. Black plastic strap secured with two silver City of Wilmington buttons with prongs. Visor to be black no-cracking and 1 7/8" wide. Sweatband to be 1 ½" wide genuine leather. Inside to be fully lined with Rayon.

Sergeants and Lieutenants

Same as above except add gold metal lace strap and gold buttons.

Captains, Inspectors and Chief

Same as above except that visor to have command peak with embroidered gold bullion.

SUMMER HAT

Patrol Rank Personnel

Same as winter hat except to have ventilated band that is covered with black nylon braid.

Sergeants and Lieutenants

Same as above except add gold metal lace strap and gold buttons.

Captains, Inspectors and Chief

Same as above except that visor to have command peak with embroidered gold bullion.

ITEM 7: V-NECK SWEATER W/FLEECE LINER

SPECIFICATIONS: BLAUER # 225 OR APPROVED EQUAL

COLOR

Dark Navy

SHELL FABRIC

58% polyester / 28% long staple worsted wool/15% low pill acrylic. 2 x 1 rib knit on the front and 100% polyester fleece on the back. Machine washable (color Dark Navy)

TRIM

Patch fabric, 100% Nylon rip stop weave 70-denier warp and 160-denier filling. Honeycomb pattern printed urethane non-ravel back coating to insure breathability, prevent seam slippage, and to maintain shell fabric appearance.

DESIGN AND CONSTRUCTION

Pullover style
V-neck 2 x 1 rib knit sweater with fleece backing
Straight body
Set-in sleeves with stretch binging at the cuffs and waistband
Durable rip stop patches as specified shall reinforce shoulders and elbows.

CUSTOMIZATION

Badge tab included
Name tab included
Epaulets included
Pen pocket on left sleeve
Emblem on both sleeves

STANDARD SIZE RANGE

Unisex Sizes:

Regular Length: XS – 3XL

MEASUREMENTS

Regular Length: L
a. Body Length: 26.5 (plus or minus 0.75")
b. Bust: 47.5 (plus or minus 0.5")
c. Sleeve Length: 36 (plus or minus 0.5")

ITEM 8: REVERSIBLE HAT COVERS**1.01.50 –SHELL FABRIC**

Cloth Type	Gore-Tex 3-layer laminate US101 polyester/Gore-Tex/polyester tricot
Color	Dark Side (US101) – Black High Visibility Side
Style	9101-399 Reversible Hat Cover

The waterproof-breathable shell fabric shall be 3-layer Gore-Tex US101 consisting of a Gore-Tex waterproof-breathable membrane laminated to a woven polyester fabric and a polyester tricot knit resulting in a dry-cleanable and washable waterproof material with high moisture vapor transmission.

1.24.99-ELASTIC

Type	11/16" elastic webbing
Dry Cleanable	Yes
Color	Black

1.90.01-THREAD

Thread for single needle lockstitch seams shall be size #50 polyester wrapped polyester core, vat dyed. Thread for safety stitch seams shall be polyester wrapped polyester core, vat dyed, size #50 in the needles and size #70 in the loopers.

2.01.9101-GENERAL DESIGN

The waterproof-breathable hat cover shall be designed to fit all types of service hats with an elasticized edge to hold it in place over the hat. The hat cover is reversible from the specified uniform color to fluorescent orange to match departmental rain wear.

3.01.99-SIZE RANGE

One size fits all hats.

4.01.01-STANDARD SAMPLE

In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.

4.03.01-TESTING PRE-BID SAMPLE

Samples submitted by bidder will be compared for tailoring, styling, construction, materials, and components with the standard sample on file with the department. Nonconformance of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any testing laboratory as the contracting officer may select. All costs in connection with any such tests shall be paid for by the bidder.

4.13.01-STOCK PRODUCT

To insure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written materials that this item is currently available on an "as needed" basis. The pre-bid sample must be provided from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of ty-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of in-stock availability.

4.90.02-LIMITED WARRANTY

The sample and contract garments shall carry a manufacturer's printed warranty hang tag. A sample warranty hand tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty. The Limited Warranty will contain at minimum the following:

Warranty Coverage: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years from date of purchase.

Warranty Service: Should a covered product become defective or lose waterproofing during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

Limitations: This warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals, fire, misuse, accident, or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

ITEM 9: REVERSIBLE RAINCOATS (UNISEX)

**SPECIFICATIONS – FLYING CROSS BY FECHHEIMER #76120 OR APPROVED EQUAL,
ANSI/ISEA 107-2004, CLASS 3/THIRD PARTY CERTIFIED**

TRI-OLAMINATE FABRIC

Black Face Fabric:

100% nylon oxford
200D x 300D
5.66 oz. /sq. yd.

Hi-Visibility Lining Fabric:

100% polyester tricot in fluorescent yellow 50 denier
3.42. oz. /sq. yd.

Laminate:

Hydrophilic monolithic waterproof/breathable film

Total Fabric Weight:

8.14 oz. /sq. yd.

TRIM

3m Scotchlite™ Reflective Material #8710

STYLE

Full length style with snap front. Generous full cut with raglan sleeves. Reversible raincoat with one side black and one side high-visibility fluorescent yellow. Features include: Convertible collar with hood and loop tab, pass through side openings with hook and loop closure, double storm flap snap front to prevent leakage, adjustable cuffs. Optional snap-off hood is available. All exposed seams are taped for waterproofness. Seam seal tape shall be a matching high-visibility yellow.

FRONT

Center front closes with 6 snaps. The top snap is approximately 7/8" from the top edge. The remaining snaps are set at 6 1/2" intervals (center to center). On the dark side of the coat: The right front has a double male snap. The left front has a double flap with female snaps that sandwich the right flap. Both sides of the coat have a placket front with interlining for stability. Two rows of 2" silver reflective tape encircle the torso to provide 360 degrees of visibility. Both sides have a badge tab on left chest with two metal eyelets spaced 1 1/4" apart, center to center.

PASS-THROUGH OPENINGS

One pass-through opening on each side permits access to trouser pocket. Pass-through opening is approximately 10" and closes with hook and loop material 4 1/4" x 5/8" centered on the welt.

COLLAR

The collar is made of two plies of face fabric. Collar points are 3 1/4". A tab made from two plies of face fabric is set into the collar seam at the front edge. The 3" x 3/4" tab has hook material (1 1/4" x 5/8") on both sides. On the underside of the collar on the dark side, there is a 1 1/4" x 5/8" piece of loop material to fasten the tab when it is not in use. On both the Hi-visibility side and the dark side on the other side of the collar are 2 1/2" x 5/8" strips of loop material to provide adjustable neck closure.

SLEEVE

Raglan style sleeve with 1" hem. Cuffs have an adjustable circumference with snaps as well as hook and loop tab. Cuff adjustment tab made from face fabric is sewn into the sleeve inseam on the dark side. The tab measures 1 5/8" wide at the base and tapers to 1 1/4" and is 1 3/4" in length. The underside of the tab has a strip of hook material 2" x 3/4" which aligns with a strip of loop material 6" x 3/4" sewn to the sleeve. The loop material is approximately 1 3/8" from the sleeve edge. It begins 1 1/2" from the inseam and extends around the front of the sleeve. Snaps are set approximately 2" on either side of the inseam, one male and one female snap. The snap caps are visible on the dark side of the coat. The snaps allow for cuff adjustment on the Hi-visibility side.

Two rows of 2" silver reflective tape encircle each sleeve to provide 360 degrees of visibility. The stripe closest to the sleeve opening must be no closer than 1.97" to the sleeve edge.

LABELING

Labels are compliant with ANSI requirements

FIT

This improved garment was designed with a generous, full cut so that a secondary layer could be worn under the raincoat for warmth. If a trimmer fit is desired, order one size smaller.

STOCK SIZES

Regular: XS, S, M, L, XL, 2XL, 3XL, 4XL

Long: M, L, XL, 2XL, 3XL, 4XL

	Chest Measurement	Regular Back Length	Long Back Length	Regular Sleeve	Long Sleeve
XSmall	32" - 34"	45"		32"	
Small	36" - 38"	46"		33"	
Medium	40" - 42"	47"	49"	34"	36"
Large	44" - 46"	48"	50"	35"	37"
XL	48" - 50"	48.5"	50.5"	35"	37"
2XL	52" - 54"	49"	51"	36"	38"
3XL	56" - 58"	49.5"	51.5"	36"	38"
4XL	60" - 62"	50"	52"	36"	38"

ITEM 10: PUBLIC SAFETY GORE-TEX WINTER JACKET-UNISEX

SPECIFICATIONS-FLYING CROSS BY FECHHEIMER#79900GTXA OR APPROVED EQUAL

STYLE:

Waist length style with 6 snap storm flap overlapping a 2 way zipper. Side vents for access to equipment. Front and back flapped yokes to accommodate drop down panels. Utility shoulder straps. Hide-away hood.

OUTER SHELL:

100% Nylon, 3 ply Supplex, 3.7 oz per sq. yd., with water and stain repellency, uncoated.

COLOR:

Navy (F1 79900GTXA 86)

DROP LINING:

Made from waterproof, breathable, windproof 2 layer Gore-Tex®.

Face fabric: 100% Black Polyester.

Membrane layer: bi-component PTFE membrane.

Drop lining shall have following minimum physical properties:



SEAM SEALING:

All seams shall be sealed with Gore-Tex® seam sealing tape to prevent leakage. All stitching through the liner shall be sealed with waterproof tape.

FACING:

There shall be an inside facing of shell material with a non-woven interlining approximately 1" wide on each side. There shall be a #5 YKK Delrin zipper set between the facing and the lining to attach the removable liner.

FRONT:

There shall be a double storm flap over the front zipper to ensure a waterproof front extending into the collar. The storm flap shall be lined with waterproof membrane. The storm flap shall close with six 24 ligne snaps that are not exposed to the outer portion of the storm flap. The front zipper shall be a #5 two-way YKK zipper. There shall be a yoke on each side of the front facing with nylon mesh for ventilation as well as to conceal drop down reflective panels. A zipper shall be sewn into the yoke to accommodate drop down panels.

BADGE TAB:

Made from shell fabric, permanently affixed on left chest. Metal eyelets are spaced 1 1/4" center to center.

COLLAR:

There shall be a two-ply collar of self-material interlining sewn to the top of collar for stability. A 7" nylon zipper shall be inserted under the collar and centered to accommodate a drop in hood. There shall be hanger loop of self-material centered at the inside of the neckline. A snap shall be placed on the label carrier to secure the removable insulated liner.

SLEEVES:

There shall be a two-piece sleeve with an articulated armhole to allow freedom of movement. Each sleeve shall have a nylon zipper positioned on the underside of the sleeve seam approximately 10" from underarm seam to allow application of patch without puncturing the membrane.

CUFF:

An adjustable, elasticized, cuff with a hook and loop tab shall be set on each. This cuff shall be made from outer-shell material.

SHOULDER UTILITY STRAP:

The utility strap shall be centered on each shoulder, 2 1/4" wide, stitched into the armhole seam and neck seam. The 1 3/4" long center shall not be stitched down to the body of the coat to allow attachment of a radio microphone.

WEEP EYELETS:

To have black metal weep eyelets located at bottom of sleeve (both panels) and front & back body panels.

POCKETS:

There shall be 2 inside pockets made of self-material with zipper closure, right and left side. There shall be two, 2-way hand warmer pockets with inverted pleats, measuring approximately 7 1/4" long X 6 1/2" wide with a mitered flap closure with Velcro. Left mitered pocket flap shall have a pencil opening at top with vertical bartacks at each end. The hand warmer pocket shall be lined with fleece lining and the other pockets shall be lined with interlining material. There shall be an 7 1/4" vertical pocket set between the storm flap and the hand warmer pocket.

WAISTBAND:

There shall be a two-piece waistband made of outer-shell material with elastic. There shall be a 9 1/2" zipper closure on each side of the jacket to accommodate equipment with elastic tabs and snap closure.

BACK:

The back shall have a rain shed yoke lined with waterproof, breathable membrane and faced with a nylon mesh. The yoke shall have a permanent zipper inserted to accommodate drop down panels.

HOOD:

There shall a 3-piece hood lined with waterproof membrane. The hood shall drop into the collar opening and concealed with a zipper closure.

FINISHING & PRESSING:

The entire jacket must be made in a first class manner - work clothes type jackets will not be acceptable. All loose threads must be removed.

SIZE TAG, CARE INSTRUCTIONS AND CONTENT LABELS:

The jacket shall have a sewn in label giving care instructions and a permanent woven size tag. The jacket shall also have a label indication lot number, size, fiber content, and RN number.

STOCK SIZES:

SHORT: XSMALL – 4XL
REGULAR: XSMALL – 6XL
LONG: MEDIUM – 6XL

ITEM 10B: REFLECTIVE FRONT AND BACK PANEL

SPECIFICATIONS – REFLEXLITE ON LIME PULLDOWN OR APPROVED EQUAL

PANEL

Panel set to read "POLICE" on Hi Vis reflective front and back panels.

ITEM 11: PUBLIC SAFETY LAYERTECH THINSULATE ZIP-IN LINER-UNISEX

**SPECIFICATIONS- FLYING CROSS BY FECHHEIMER #F1 32700A 10 OR APPROVED
EQUAL**

INSULATION

3m 100 GRAM Thinsulate, 86 pick, black Nylon face/CDS 100/Black Tricot, with a scrim covering front and back to prevent migration of insulation fibers. Lining must be quilted horizontally with a minimum of a 6" railroad pattern for maximum thermos retention. Excess stitching and openings in liner cause extreme loss of body heat.

BASIC DESIGN

The liner should be full cut, long enough to properly fit our layertech GTXA jacket (F1 7900GTXA). All outer edges of the liner must be bound, covered with bias binding and sewn with a safety stitch. Collar shall be out of rib knit material.

POCKET

There shall be on (1) right inside patch pocket. The pocket shall be bound with a proper width bias binding.

ZIPPER

There shall be a center zipper of the liner that is designed to properly attach to our layertech GTXA jacket (F1 79900GTXA).

FINISHING & PRESSING

The entire jacket must be made in a first class manner. All loose threads must be removed.

SIZE TAG, CARE INSTRUCTIONS AND CONTENT LABELS

The liner shall have a sewn in label giving care instructions and a permanent woven size tag. The jacket shall also have a label indication lot number, size, fiber content, and RN number.

STOCK SIZES

SHORT:	XSmall - 4XL
REGULAR:	XSmall – 6XL
LONG:	Medium – 6XL
XLONG:	Large – 4XL

PROPOSAL FORM

DATE: _____

CONTRACT: 22009PD

City of Wilmington Business License Number is _____.

This proposal is submitted with the knowledge that the Department of Finance, Division of Procurement and Records, reserves the right to reject any and all proposals, when in its judgement, it is in the best interest of the City of Wilmington to do so.

We, the undersigned, hereby agree to furnish and deliver, per specifications, the item(s) listed below to the City of Wilmington, Wilmington Department of Police, Public Safety Building, 300 North Walnut Street, Wilmington, Delaware 19801.

<u>QUANTITY</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
400	Navy Summer Shirts/Men & Women	\$ _____	\$ _____
400	Navy Winter Shirts/Men & Women	\$ _____	\$ _____
50	White Summer Shirts/Men & Women	\$ _____	\$ _____
50	White Winter Shirts/Men & Women	\$ _____	\$ _____
450	Trousers/Men & Women	\$ _____	\$ _____
70	Summer Hats	\$ _____	\$ _____
70	Winter Hats	\$ _____	\$ _____
15	Hats (with Gold Bullion)	\$ _____	\$ _____
25	V-Neck Sweaters	\$ _____	\$ _____
25	Reversible Hat Covers	\$ _____	\$ _____
25	Raincoats	\$ _____	\$ _____
25	Winter Jackets/panels	\$ _____	\$ _____
25	Jacket Liners	\$ _____	\$ _____

GRAND TOTAL \$ _____

FIRM: _____
Corporation, Partnership, Individual

PER: _____
Name (Typed or Printed)

TITLE: _____

ADDRESS: _____

PHONE: _____

EMAIL: _____

FEDERAL I.D.: _____

PROPOSAL FORM

DATE: February 24, 2021

CONTRACT: 22009PD - REVISED

City of Wilmington Business License Number is 65381.

This proposal is submitted with the knowledge that the Department of Finance, Division of Procurement and Records, reserves the right to reject any and all proposals, when in its judgement, it is in the best interest of the City of Wilmington to do so.


We, the undersigned, hereby agree to furnish and deliver, per specifications, the item(s) listed below to the City of Wilmington, Wilmington Department of Police, Public Safety Building, 300 North Walnut Street, Wilmington, Delaware 19801.

<u>QUANTITY</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
400	Navy Summer Shirts/Men & Women	\$ 58.60	\$ 23,440.00
400	Navy Winter Shirts/Men & Women	\$ 64.49	\$ 25,796.00
50	White Summer Shirts/Men & Women	\$ 41.30	\$ 2,065.00
50	White Winter Shirts/Men & Women	\$ 44.65	\$ 2,232.50
450	Trousers/Men & Women	\$ 66.15	\$ 29,767.50
70	Summer Hats	\$ 34.25	\$ 2,397.50
70	Winter Hats	\$ 34.25	\$ 2,397.50
15	Hats (with Gold Bullion)	\$ 75.00	\$ 1,125.00
25	V-Neck Sweaters	\$ 111.20	\$ 2,780.00
25	Reversible Hat Covers	\$ 11.00	\$ 275.00
25	Raincoats	\$ 130.75	\$ 3,268.75
25	Winter Jackets/Panels /Liners	\$ 139.75	\$ 3,493.75

GRAND TOTAL

\$ 99,038.50

FIRM: Graves Uniforms, LLC
Corporation, Partnership, Individual

PER: Terence L. Havens 
Name (Typed or Printed)

TITLE: President

ADDRESS: 102 Savannah Rd, Lewes, DE 19958

PHONE: (800) 441-8010

EMAIL: info@gravesuniforms.com

FEDERAL I.D.: 45-5526666

CITY OF WILMINGTON - BUSINESS LICENSE

ACCOUNT NO.

11003995

LICENSE NO.

65381

CODE

6004 RETAILERS NON EDIBLE

FEE PAID

\$151.00

BUSINESS GRAVES UNIFORMS
102 SAVANNAH RD
LEWES, DE 19958

2021

Expires:12/31/2021

ISSUED BY

Jeffrey J. Starkey

GRAVES UNIFORMS
102 SAVANNAH RD
LEWES, DE 19958-1452

COMMISSIONER
DEPARTMENT OF LICENSES & INSPECTION

THIS LICENSE MUST BE DISPLAYED IN A PROMINENT PLACE

license fee. You can file these taxes online or obtain a paper form from our website at

LICENSE NO. 2012604012 DOR&L

POST CONSPICUOUSLY

STATE OF DELAWARE

DIVISION OF REVENUE

VALID

01/01/19 - 12/31/21
NOT TRANSFERABLE

DLN: 18 98890 25

BUSINESS CODE
GROUP CODE

382
396

LICENSED
ACTIVITY

RETAILER-DRY GOODS & APPAREL
RETAILER-VARIOUS PRODUCTS

DATE ISSUED: 12/13/18

VALIDATED

2021

LICENSE FEE: \$ 270.00

MAILING ADDRESS

BUSINESS LICENSE

BUSINESS LOCATION

GRAVES UNIFORMS LLC
GRAVES UNIFORMS
102 SAVANNAH RD
LEWES DE 19958-1485



GRAVES UNIFORMS
102 SAVANNAH RD
LEWES DE 19958-1485

IS HEREBY LICENSED TO PRACTICE, CONDUCT OR ENGAGE IN THE OCCUPATION
OR BUSINESS ACTIVITY INDICATED ABOVE IN ACCORDANCE WITH THE LICENSE
APPLICATION DULY FILED PURSUANT TO TITLE 30, DEL CODE

JENNIFER R. HUDSON

DIRECTOR OF REVENUE

**OFFICE OF PUBLIC SAFETY
DEPARTMENT OF POLICE
WILMINGTON, DELAWARE**


Departmental Information

TO: Chief Robert J. Tracy

FROM: Lt. Arthur J. Gliem

DATE: 08 March 2021

RE: Police Clothing Bid Results



Sir,

I'm submitting this departmental information regarding the attached bid results for police clothing. The police clothing bids were received by procurement, see attached. It is recommended that the contract be awarded to Graves Uniforms. American Public Safety did not bid all items and as a result should be disqualified. Your consideration is greatly appreciated.

Respectfully Submitted,



Rec'd 3/8/21
Insp C. E. J.

CERTIFICATE OF AWARD OF CONTRACT

I hereby certify that Contract No. 22009PD is on this 8th of March 2021 awarded to Graves Uniforms, LLC in the amount of \$99,038.50 as per Proposal dated 2/24/21 and that this award is made in compliance with Wilm. Code (Charter), Section 8-200, to wit:

1. Plans and specifications for the work, supplies, or materials were filed with the Department of Finance, Division of Procurement and Records for public inspection on 2/16/21.
2. The advertisement calling for sealed bids on this contract was published in the News Journal on 2/16/21 stated that bids would be opened at 3:00 p.m. on 3/4/21
3. All sealed bids received were publicly opened in the office of the Department of Finance, Division of Procurement and Records in the presence of the City Auditor and Department not represented desiring to make the purchase at 3:00 p.m. on 3/4/21. Other persons present at the opening of the bids were: Phil Ceresini, Shawnte Manning & Michael Maldonado
4. Bids were submitted by the following contractors in the following amounts.

Contractor	Address	Date of Bid	Amount
American Public Safety	Millsboro, DE	3/4/21	\$96,218.50 *
Graves Uniforms, LLC	Lewes, DE	3/4/21	\$99,038.50

* Did not bid all items.

5. City License Number _____

6. Upon recommendation of Department of Police and after due consideration, I determined that the contractor to whom this award is made was the lowest responsible bidder. In support of this determination, I have received the following written recommendations, which are on file at my office:

<u>Author</u>	<u>Employment Position</u>	<u>Date</u>
Arthur J. Gliem	Lieutenant	3/8/21



Department of Finance, Division of Procurement

GRAVES

UNIFORMS • ACCESSORIES

PUBLIC SAFETY • FIRE SERVICE • CAREER • SECURITY • INDUSTRIAL • MEDICAL • HOSPITALITY


To: City Of Wilmington
Attn: Shawnte R. Manning

March 24 2021

From: Graves Uniforms LLC

Re: Resolution

I am sending the letter for The City Of Wilmington to have on record for the 22009PD Police Clothing contract. We, Graves Uniforms is owned solely by Graves Uniforms LLC. Terence L. Havens is the sole proprietor.



Terence L. Havens
President

Date

Delaware

The First State

Page 1

I, JEFFREY W. BULLOCK, SECRETARY OF STATE OF THE STATE OF
DELAWARE, DO HEREBY CERTIFY "GRAVES UNIFORMS, LLC" IS DULY FORMED
UNDER THE LAWS OF THE STATE OF DELAWARE AND IS IN GOOD STANDING AND
HAS A LEGAL EXISTENCE SO FAR AS THE RECORDS OF THIS OFFICE SHOW, AS
OF THE TWENTY-FIRST DAY OF APRIL, A.D. 2018.



5174590 8300

SR# 20182453173

You may verify this certificate online at corp.delaware.gov/authver.shtml

A handwritten signature in black ink, appearing to read "JBullock", is written over a horizontal line. Below the line, the text "Jeffrey W. Bullock, Secretary of State" is printed.

Jeffrey W. Bullock, Secretary of State

Authentication: 202554127

Date: 04-21-18

--- - - C O N T R A C T -----

THIS AGREEMENT made the 24th day of March in the year **Two Thousand Twenty-One** and between the City of Wilmington, a municipal corporation of the State of Delaware, acting through the agency of the Department of Finance, Division of Procurement and Records, party of the first part (hereinafter designated the Owner), and **Graves Uniforms, LLC** party of the second part (hereinafter designated the Contractors)

WITNESSETH, that the Contractor, in consideration of agreements herein made by the Owner, agrees with the Owner as follows:

Article 1. The Contractor shall and will furnish and deliver per specifications, on contract **22009PD "POLICE CLOTHING"** for the **Department of Police** in accordance with Advertisement for Bids by the Department of Finance, Division of Procurement and Records date **2/16/21** and specifications identified as Contract No. **22009PD** and by the signatures of the parties hereto, are, together with the said Advertisement for Bids, Instructions to Bidders, Forms of Proposal, and/or other documents pertinent thereto, hereby acknowledge and incorporated into these presents and are to be taken as a part of this Contract.

Article 2. It is understood and agreed by and between the parties hereto that the amount of this Contract is in the amount of **Ninety-Nine Thousand, Thirty-Eight Dollars and-----** **50/100 (\$99,038.50)** as per Proposal dated **2/24/21** to the Department of Finance, Division of Procurement and Records.

Article 3. In the performance of this Contract, the parties agree that they shall not discriminate or harass, or permit discrimination or harassment, against any person because of age sex, marital status, race, religion, color, national origin, or sexual orientation.

Article 4. This Agreement shall bind the heirs, executors, administrators, successors and assigns to the respective parties hereto.

In witness whereof the party of the first part has, by recommendation of the **Department of Police**, caused the hand of **Michael S. Purzycki**, Mayor, and the corporate seal of the City of Wilmington, attested by the City Clerk, to be hereunto affixed; and the party of the second part has caused the hand of its' President, (or his authorized representative) and its' corporate seal, attested by the Secretary or assistant Secretary, to be hereunto affixed.

Dated the day and year first above written in the City of Wilmington, County of New Castle, State of Delaware.

Signed, Sealed and delivered
in the presence of:

THE CITY OF WILMINGTON

Witness

By: _____
Michael S. Purzycki, Mayor

ATTEST:

City Clerk

Graves Uniforms, LLC

Amanda Longo
Witness
Amanda Longo

By: Terence L. Havens
President (Seal)
Terence L. Havens

ATTEST:

Jennifer S. Stocker
Secretary
Jennifer S. Stocker